EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over) and ((subscription regist$5 subscriber profile) adj server)	US-PGPUB; USPAT	OR	ON	2007/01/04 17:38
L2	1	"6535493".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 17:38
L3	47	("6535493").URPN.	USPAT	OR	ON	2007/01/04 17:38
L4	0	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over) and ((subscription regist$5 subscriber profile) adj server) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:40
L5	0	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over) and ((subscription regist$5 subscriber profile) near3 server) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:40
L6	1	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and l3	US-PGPUB; USPAT	OR	ON	2007/01/04 17:58

L7	30	("20020102999" | "5325362" | "5353412" | "5537679" | "5561840" | "5570366" | "5572528" | "5590126" | "5754547" | "5825759" | "5845079" | "5862345" | "5926101" | "5930248" | "5949760" | "6002931" | "6018573" | "6041358" | "6061650" | "6076109" | "6243758" | "6477150" | "6522880" | "6535493" | "6549522" | "6567664" | "6578085" | "6600743" | "6621810" | "6625135").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 17:57
L8	1	l7 and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5))	US-PGPUB; USPAT	OR	ON	2007/01/04 18:00
S1	95	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over)	US-PGPUB; USPAT	OR	ON	2007/01/04 17:28
S2	51	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3))	US-PGPUB; USPAT	OR	ON	2007/01/04 10:31

1/4/07 6:22:12 PM
C:\Documents and Settings\gbengzon\My Documents\EAST\Workspaces\GCB 09891038 IPV6 LAN base stations for mobile commun

Page 2

S3	5	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and lan and $3mail and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3)) and (base adj station)	US-PGPUB; USPAT	OR	ON	2007/01/04 10:37
S4	17	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3)) and (base adj station) and "455". clas.	US-PGPUB; USPAT	OR	ON	2007/01/04 10:41
S5	2	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3)) and (base adj station) and "455". clas. and lan and $3mail	US-PGPUB; USPAT	OR	ON	2007/01/04 10:40
S6	1	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and (base adj station) and "455".clas. not S4	US-PGPUB; USPAT	OR	ON	2007/01/04 10:44

S7	18	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and (base adj station) not S4	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S8	17	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3)) and (base adj station) and "455". clas.	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S9	18	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and (base adj station) not S8	US-PGPUB; USPAT	OR	ON	2007/01/04 13:37
S10	5	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (roam$5 handoff hand-off handover hand-over seamless) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and (base adj station) not (S8 S9)	US-PGPUB; USPAT	OR	ON	2007/01/04 13:52

S11	16	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and (base adj station) not (S8 S9 S10)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:14
S12	43	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and bluetooth	US-PGPUB; USPAT	OR	ON	2007/01/04 17:46
S13	0	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and ((((rf base) adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and bluetooth not S12	US-PGPUB; USPAT	OR	ON	2007/01/04 14:49
S14	0	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and ((((rf base) adj (node station)) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near5 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5)) and bluetooth not S12	US-PGPUB; USPAT	OR	ON	2007/01/04 14:59
S15	1	d430934.pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:05
S16	1	"6487406".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:09
S17	1	"6771609".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:09

S18	9	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and (((base adj station) (mobil$3 adj switch) bs$3 msc$3 cscf$2 vlr local ap routing binding location) near9 (persistent cache)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5 already)) and (base adj station) not (S8 S9 S10 S11)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:30
S19	8	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and ((((base rf wireless) adj (station router switch)) bs$3) near9 (LAN)) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5 already))	US-PGPUB; USPAT	OR	ON	2007/01/04 15:36
S20	22	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and ((((base rf wireless mobil$4 pda device) adj2 (ap station router switch)) bs$3) near9 (LAN ((local home office) adj2 network))) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5 already)) not S19	US-PGPUB; USPAT	OR	ON	2007/01/04 15:43
S21	14	(@ad<"20000627" ("2000"$5 "1999"$5 "1998"$5 "1997"$5 "1996"$5 "1995"$5).rlad.) and ((((base rf wireless mobil$4 pda device) adj2 (ap station router switch hub)) bs$3) near9 (LAN ((local home office) adj2 network))) and (cache near9 (hit look$5 search$5 check$5 exist$5 found$3 find$3 availab$5 already)) not (S19 S20)	US-PGPUB; USPAT	OR	ON	2007/01/04 15:45
S22	1	"6414962".pn.	US-PGPUB; USPAT	OR	ON	2007/01/04 15:54